



OMEGALAB TESTING SERVICES PRIVATE LIMITED

ESTD. 1999

A Govt. Regd. Test House



Laboratory Accredited By :
NABL, A constituent Board of Quality Council
of India, Govt. of India
Management System : As per ISO/IEC 17025:2017
CORPORATE IDENTITY NUMBER : U71200WB2023PTC262957
CORPORATE OFFICE :
256A, M. G. Road, Purbasan, Thakurpukur, Kolkata - 700063
LABORATORY : 256A, M. G. Road, Purbasan, Thakurpukur, Kolkata - 700063
Contacts : (033) 2497 1903, M (+91) 9830020628 / M (+91) 9432219707
E-mail : omegalabinfo98@gmail.com



TC-11935

ULR No.: TC1193525000001261F

Format No. OTSPL/QR/1078

TEST REPORT

Job ID No.: OTSK/27/MY/2025/15 -02 (Chemical-01)

Date: 06.06.2025

Page: 1 of 1

#Ref. No. : E-mail Date: 24.05.2025	#Product Specification : IS:15388-2003, Reaf:2022
#Issued To : M/s- Whitespice Chemicals India Pvt. Ltd. 41A, AJC Bose Road, 2 nd Floor, Suite-218, Kolkata-700017	#Test Specification : Tabulated Below
#Description of Sample(s) : Micro Silica sample for the following tests. Grade: 92+	#Seal / Stamp / Mark (if any) : Sealed
Subject : Testing of Micro Silica.	
#Test Parameters : Silica, Moisture Content, Loss on Ignition, Na ₂ O, K ₂ O & Alkalis.	Sample received on : 27.05.2025 Sample tested on : 27.05.2025 to 04.06.2025

This is to certify that the above sample (S) has/have been tested with the following results:

CHEMICAL ANALYSIS

I. Building Material:

• Pozzolan materials:

Characteristics	Findings	Req. as per IS:15388-2003, Reaf:2022	Test Method
1. Silica as SiO ₂ , (%)	92.89	85.00 Min	IS:1727:1967 Reaf:2018
2. Moisture Content, (%)	0.58	3.00 Max	IS:15388-2003, Reaf:2022
3. Loss on Ignition, (%)	1.8	4.00 Max	IS:1727:1967 Reaf:2018
4. Sodium Oxide as Na ₂ O, (%)	Awaited	Not Specified	IS:15388-2003, Reaf:2022
5. Potassium Oxide as K ₂ O, (%)	Awaited	Not Specified	
6. Alkalis as Na ₂ O, (%)	Awaited	1.5 Max.	

Remarks: The above submitted sample was duly tested as per relevant specification.

Prepared by

-----◆◆◆ End of report ◆◆◆-----

For OMEGALAB TESTING SERVICES PVT. LTD.

I. MUKHERJEE (BANERJEE)
DEPUTY QUALITY MANAGER
(AUTHORISED SIGNATORY-CHEM.)

Note :

- * "#" denote the information are supplied by customer.
- * Decision Rule applied as per OTSPL/QMSP-10 (wherever applicable)
- * The test report relates to the Sample(s) submitted by Customer.
- * Liability for return of sample(s) ceases after fifteen days unless advised by concerned authority.
- * The reproduction of the report except in full is invalid without written approval of the laboratory management.
- * The test results referred in test report are based on observations & measurements under the stated environmental conditions.